

2018 Corn Grain Top 30 Harvest Report

Indiana North [INNO] HOWE
Carl Quirin, LaGrange County, IN 49091



Test by: M&D Seed Research, LLC, Van Buren, IN

PREV. CROP/HERB: Corn / Acuron, Roundup
SOIL DESCRIPTION: Elston sandy loam, well drained, non-irrigated
SOIL CONDITION: Conventional w/ fall till, medium P, very high K, 5.6 pH, 2.9% OM, 12.7 CEC
PEST MANAGEMENT: Acuron, Balance Flexx, Bicep II Magnum, Force
FERTILITY - Applied N: 15 Spring, 76 Planter, 90 Sidedress
Applied N-P-K (units): 181-32-106
SEEDING - RATE - ROW: May 2 32,600 /A 30" spacing
HARVESTED - STAND: Oct 9 31,400 /A

Early-Season Test
103 - 108 Day CRM
B2018INNO01a

Top 30 of 42

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|---------------------|--------------|------------|---------------|---------------|--------------|-------------------|-------------------------|----------|
| Golden Harvest | G07F23-3111 | 3111 | 107 | 186.8 | 18.2 | 1 | 31.7 | 592 | 1 |
| Specialty | 38A388 | STX,B | 108 | 183.5 | 18.5 | 1 | 31.7 | 580 | 2 |
| Ebberts | 6899VT2PRIB | VT2P,B | 109 | 183.2 | 19.0 | 1 | 30.8 | 577 | 3 |
| Rupp | xrA08-78 | 3110 | 108 | 180.9 | 17.9 | 1 | 32.1 | 575 | 4 |
| Golden Harvest | G08M20-3010 | 3010 | 108 | 177.8 | 17.8 | 3 | 32.1 | 565 | 5 |
| Wyckoff | 2540VT2PRIB | VT2P,B | 108 | 175.9 | 18.3 | 1 | 32.1 | 557 | 8 |
| NuTech/G2 Gen | 5FN-8808 | OI | 108 | 175.4 | 17.4 | 1 | 30.8 | 560 | 6 |
| NuTech/G2 Gen | 5FN-2204 | OI | 104 | 174.5 | 16.7 | 1 | 31.7 | 560 | 7 |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | 106 | 173.7 | 17.8 | 1 | 30.8 | 552 | 9 |
| NuTech | 5VN-4707 | 3111 | 107 | 173.7 | 17.8 | 2 | 32.1 | 552 | 10 |
| Ebberts | 9356SSXRIB | STX,B | 106 | 172.4 | 17.8 | 1 | 30.8 | 548 | 12 |
| Becks | 5866AM GC | AM,B | 108 | 172.4 | 17.8 | 1 | 31.2 | 548 | 13 |
| Seed Consultants | SC 10AGT59 | 3010 | 105 | 172.1 | 17.2 | 2 | 30.8 | 550 | 11 |
| LG Seeds | LG58C77VT2PRO | VT2P | 108 | 171.0 | 19.0 | 1 | 31.2 | 539 | 14 |
| NK Brand | NK0886-3010 | 3010 | 108 | 169.8 | 18.0 | 1 | 30.3 | 539 | 15 |
| Wyckoff | 2585SSRIB | STX,B | 108 | 169.3 | 19.0 | 1 | 31.7 | 533 | 17 |
| FS InVISION | FS 55RL1 EZR | 3220,B | 105 | 169.2 | 17.5 | 1 | 30.8 | 539 | 16 |
| FS InVISION | FS 58R49 | 3111 | 108 | 168.9 | 19.4 | 1 | 32.1 | 530 | 21 |
| NK Brand | NK0330-3120-EZR | 3120,B | 103 | 166.5 | 17.2 | 4 | 31.7 | 532 | 20 |
| LG Seeds | LG5525VT2RIB | VT2P,B | 105 | 166.4 | 17.9 | 1 | 30.8 | 529 | 22 |
| Wyckoff | 2500SSRIB | STX,B | 106 | 166.3 | 16.8 | 1 | 31.7 | 533 | 18 |
| Golden Harvest | G04S19-3010 | 3010 | 104 | 166.1 | 16.6 | 1 | 31.7 | 533 | 19 |
| Ebberts | 6138VT2PRIB | VT2P,B | 108 | 165.4 | 18.6 | 2 | 31.2 | 523 | 26 |
| Seed Consultants | SCS 1087YHR | OI | 108 | 165.1 | 17.6 | 1 | 31.7 | 526 | 23 |
| NK Brand | NK0624-3220-EZR | 3220,B | 106 | 165.0 | 17.8 | 1 | 32.1 | 525 | 24 |
| Wyckoff | 2633VT2PRIB | VT2P,B | 108 | 164.9 | 18.5 | 1 | 32.6 | 521 | 27 |
| FS InVISION | FS 57ZX1 RIB | STX,B | 107 | 164.2 | 17.0 | 1 | 30.3 | 525 | 25 |
| NK Brand | NK0821-3120A-EZR GC | 3120,A,B | 108 | 162.9 | 18.0 | 1 | 31.2 | 517 | 28 |
| Purple Ribbon | 18A07VT2PRIB | VT2P,B | 107 | 160.1 | 16.6 | 1 | 32.6 | 514 | 29 |
| Rupp | xrD07-72 | VT2P,B | 107 | 159.7 | 17.0 | 1 | 31.2 | 511 | 30 |
| Pioneer | P0825AM CK | AM,B | 108 | 160.6 | 18.5 | 1 | 30.8 | 508 | 31 |

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Averages = **166.2** **17.8** **1** **31.4** **529**

LSD (0.10) = 9.6 0.4 ns

LSD (0.25) = 5.0 0.2 1

C.V. = 5.5 Prev. years average yield, 184.2 bu/a, 1 yr

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.25; non-GMO = \$3.25

Test Comments: *This site is very representative of the dryland sandy loam soils typical of northern Indiana. The plot was planted early into good conditions and received above average rain for three weeks. Conditions turned dry with above average heat during pollination. Yields are below normal due to poor pollination. Corn stood well at harvest with good stalk strength with little kernel disease present.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/10/2018 Revised:

2018 Corn Grain Top 30 Harvest Report

Indiana North [INNO] HOWE
 Carl Quirin, LaGrange County, IN 49091



PREV. CROP/HERB: Corn / Acuron, Roundup
 SOIL DESCRIPTION: Elston sandy loam, well drained, non-irrigated
 SOIL CONDITION: Conventional w/ fall till, medium P, very high K, 5.6 pH, 2.9% OM, 12.7 CEC
 PEST MANAGEMENT: Acuron, Balance Flexx, Bicep II Magnum, Force
 FERTILITY - Applied N: 15 Spring, 76 Planter, 90 Sidedress
 Applied N-P-K (units): 181-32-106
 SEEDING - RATE - ROW: May 2 32,600 /A 30" spacing
 HARVESTED - STAND: Oct 9 31,300 /A

Full-Season Test
109 - 112 Day CRM
 B2018INNO01b

Top 30 of 48

For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|------------------|---------------|------------|---------------|---------------|--------------|-------------------|-------------------------|----------|
| Specialty | 40D148 | VT2P,B | 110 | 185.9 | 19.0 | 1 | 30.8 | 586 | 1 |
| FS InVISION | FS 62ZX1 RIB | STX,B | 112 | 182.1 | 20.1 | 1 | 31.7 | 569 | 2 |
| Great Heart | HT-7244VT2PRIB | VT2P,B | 112 | 181.9 | 20.9 | 1 | 31.2 | 564 | 4 |
| Partners Brand | PB 8230DVT2P | VT2P,DG | 112 | 181.5 | 19.5 | 1 | 30.8 | 569 | 3 |
| Great Heart | HT-7026SSRIB | STX,B | 110 | 179.3 | 19.2 | 1 | 30.8 | 564 | 5 |
| Great Heart | HT-6901SSRIB | STX,B | 109 | 178.8 | 19.4 | 1 | 31.7 | 561 | 8 |
| Rupp | xrD12-49 | VT2P,B | 112 | 178.8 | 20.0 | 1 | 31.7 | 559 | 10 |
| Ebberts | 6121VT2PRIB | VT2P,B | 111 | 178.2 | 19.4 | 1 | 30.3 | 560 | 9 |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | 109 | 178.0 | 18.6 | 1 | 31.2 | 562 | 7 |
| NuTech/G2 Gen | 5FB-1010 | AM,B | 110 | 177.9 | 18.2 | 1 | 31.7 | 564 | 6 |
| Wyckoff | 2669SSRIB | STX,B | 112 | 177.9 | 19.7 | 1 | 32.1 | 557 | 12 |
| FS InVISION | FS 59VL1 EZR | 3220,B | 109 | 177.5 | 19.2 | 1 | 32.1 | 558 | 11 |
| Rupp | xrD10-16 | VT2P,B | 110 | 176.4 | 18.6 | 1 | 31.2 | 557 | 13 |
| Channel | 209-15STXRIB | STX,B | 109 | 175.7 | 20.0 | 1 | 30.8 | 549 | 14 |
| Dairyland | DS-9412SSX | STX | 112 | 175.1 | 20.2 | 1 | 31.7 | 546 | 15 |
| FS InVISION | FS 60UX1 RIB | STX,B | 110 | 172.7 | 19.9 | 1 | 31.7 | 540 | 16 |
| LG Seeds | LG5606STXRIB | STX,B | 111 | 172.6 | 20.5 | 1 | 32.1 | 537 | 20 |
| Wyckoff | 2668SSRIB | STX,B | 112 | 172.5 | 20.0 | 1 | 31.7 | 539 | 17 |
| Purple Ribbon | 18A12VT2PRIB | VT2P,B | 112 | 172.5 | 20.1 | 1 | 30.3 | 539 | 18 |
| Pioneer | P1197AM GC | AM,B | 111 | 170.8 | 18.9 | 1 | 31.2 | 538 | 19 |
| Dairyland | DS-9510RA | STX,B | 110 | 170.6 | 21.9 | 1 | 30.3 | 525 | 26 |
| Purple Ribbon | 19R09VT2P | VT2P | 109 | 170.0 | 19.1 | 1 | 31.7 | 535 | 22 |
| Dairyland | DS-7909PE | PC,E | 109 | 169.6 | 19.0 | 1 | 30.3 | 534 | 23 |
| Dairyland | RPM-5018AM | AM,B | 109 | 169.4 | 18.5 | 1 | 31.2 | 536 | 21 |
| Wyckoff | 2665DGVT2PRIB | VT2P,B | 112 | 169.1 | 20.5 | 1 | 31.7 | 526 | 24 |
| LG Seeds | LG62C02VT2PRO | VT2P | 112 | 167.7 | 19.5 | 1 | 32.1 | 526 | 25 |
| FS InVISION | FS 60LX1 RIB | STX,B | 110 | 166.8 | 19.1 | 1 | 30.8 | 525 | 27 |
| Ebberts | 6552VT2PRIB | VT2P,B | 112 | 165.4 | 19.4 | 1 | 30.8 | 519 | 30 |
| Rupp | xrD11-57 | VT2P,B | 111 | 165.1 | 18.5 | 1 | 29.9 | 522 | 28 |
| NK Brand | NK0962-3220A-EZR | 3220,A,B | 109 | 165.1 | 18.5 | 2 | 31.7 | 522 | 29 |
| Pioneer | P0825AM CK | AM,B | 108 | 155.8 | 19.1 | 1 | 30.8 | 490 | 41 |

Matt Turner
 Matt Turner
 mattturner1979@yahoo.com, (317) 606-9040

| | | | | | |
|--------------|--------------|---|----------|-------------|------------|
| Averages = | 168.0 | 19.4 | 2 | 31.3 | 527 |
| LSD (0.10) = | 11.8 | 0.6 | 1 | | |
| LSD (0.25) = | 6.2 | 0.3 | 0 | | |
| C.V. = | 6.7 | Prev. years average yield, 184.2 bu/a, 1 yr | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.25; non-GMO = \$3.25

Test Comments: *This site is very representative of the dryland sandy loam soils typical of northern Indiana. The plot was planted early into good conditions and received above average rain for three weeks. Conditions turned dry with above average heat during pollination. Yields are below normal due to poor pollination. Corn stood well at harvest with good stalk strength with little kernel disease present.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/10/2018 Revised:

2018 Corn Grain - Indiana North [INNO]



Early-Season Test Products (42 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------------|---------------------|----------|-------------|-----|---------------|---------------|----------|-----------|----|
| Becks | 5765AM GC | AM,B | Es | 107 | | | | | |
| Becks | 5866AM GC | AM,B | Es | 108 | | | | | |
| Dairyland | DS-6008 | RR2 | CM,C5,Vi,In | 108 | | | | | |
| Dairyland | DS-9508RA | STX,B | CM,C5,Vi,In | 108 | | | | | |
| Dairyland | RPM-4816AM | AM,B | MQ,P5V,R | 108 | | | | | |
| Ebberts | 6138VT2PRIB | VT2P,B | AC,P2 | 108 | | | | | |
| Ebberts | 6899VT2PRIB | VT2P,B | AC,P2 | 109 | | | | | |
| Ebberts | 9356SSXRIB | STX,B | AC,P5V | 106 | | | | | |
| FS InVISION | FS 53ZX1 RIB | STX,B | AC,P5V | 103 | | | | | |
| FS InVISION | FS 55RL1 EZR | 3220,B | CM,C2,Vi | 105 | | | | | |
| FS InVISION | FS 57ZX1 RIB | STX,B | AC,P5V | 107 | | | | | |
| FS InVISION | FS 58R49 | 3111 | AVC,C5 | 108 | | | | | |
| Golden Harvest | G04S19-3010 | 3010 | AVC,C2,Vi | 104 | | | | | |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Golden Harvest | G08M20-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| LG Seeds | LG5525VT2RIB | VT2P,B | AC,P5V | 105 | | | | | |
| LG Seeds | LG57C28VT2PRO | VT2P | AC,P5V | 107 | | | | | |
| LG Seeds | LG58C77VT2PRO | VT2P | AC,P5V | 108 | | | | | |
| NK Brand | NK0330-3120-EZR | 3120,B | AVC,C2,Vi | 103 | | | | | |
| NK Brand | NK0624-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| NK Brand | NK0821-3120A-EZR GC | 3120,A,B | AVC,C5,Vi | 108 | | | | | |
| NK Brand | NK0886-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| NuTech | 5VN-4707 | 3111 | MQ,P5V,R | 107 | | | | | |
| NuTech/G2 Gen | 5FN-2204 | OI | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | 5FN-8808 | OI | MQ,P1V,R | 108 | | | | | |
| NuTech/G2 Gen | 5H-806 | HX,RR2 | MQ,P5V,R | 106 | | | | | |
| Pioneer | P0825AM CK | AM,B | MQ,C5,R,Lu | 108 | | | | | |
| Purple Ribbon | 18A07VT2PRIB | VT2P,B | AC,P2 | 107 | | | | | |
| Rupp | xrA08-78 | 3110 | CM,C2 | 108 | | | | | |
| Rupp | xrD06-70 | VT2P,B | AC,P2 | 106 | | | | | |
| Rupp | xrD07-72 | VT2P,B | AC,P2 | 107 | | | | | |
| Seed Consultants SC | 10AGT59 | 3010 | AVC,C2,Vi | 105 | | | | | |
| Seed Consultants SCS | 1018YHR | OI,AQ | MQ,P1V,R | 101 | | | | | |
| Seed Consultants SCS | 1087YHR | OI | MQ,P1V,R | 108 | | | | | |
| Seed Consultants SCS | 10HR43 | HX,RR2 | MQ,P1V,R | 104 | | | | | |
| Specialty | 34A007 | STX,B | AC,P5V | 104 | | | | | |
| Specialty | 38A388 | STX,B | AC,P5V | 108 | | | | | |
| Wyckoff | 2500SSRIB | STX,B | AC,P5V | 106 | | | | | |
| Wyckoff | 2540VT2PRIB | VT2P,B | AC,P5V | 108 | | | | | |
| Wyckoff | 2585SSRIB | STX,B | AC,P5V | 108 | | | | | |
| Wyckoff | 2633VT2PRIB | VT2P,B | AC,P5V | 108 | | | | | |
| | | | | | | | | | |

2018 Corn Grain - Indiana North [INNO]



Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|------------------|------------------|----------|--------------|-----|---------------|---------------|----------|-----------|-----|
| Channel | 209-15STXRIB | STX,B | AC,P5V | 109 | Wyckoff | 2668SSRIB | STX,B | AC,P5V | 112 |
| Channel | 210-79STXRIB | STX,B | AC,P5V | 110 | Wyckoff | 2669SSRIB | STX,B | AC,P5V | 112 |
| Channel | 212-20STXRIB | STX,B | AC,P5V | 112 | Wyckoff | 2700SSRIB | STX,B | AC,P5V | 114 |
| Dairyland | DS-7909PE | PC,E | CM,C5,Vi,In | 109 | | | | | |
| Dairyland | DS-9412SSX | STX | CM,C1,Vi,In | 112 | | | | | |
| Dairyland | DS-9510RA | STX,B | CM,C5,Vi,In | 110 | | | | | |
| Dairyland | RPM-5018AM | AM,B | CM,C2,R,Lu | 109 | | | | | |
| Ebberts | 6121VT2PRIB | VT2P,B | AC,P2 | 111 | | | | | |
| Ebberts | 6552VT2PRIB | VT2P,B | AC,P2 | 112 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60LX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 60UX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 62ZX1 RIB | STX,B | AC,P5V | 112 | | | | | |
| Golden Harvest | G09A86-3000GT | 3000GT | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G10T63-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| Golden Harvest | G12W66-3220-EZR | 3220,B | AVC,C5,Vi | 112 | | | | | |
| Great Heart | HT-6901SSRIB | STX,B | AC,P5V | 109 | | | | | |
| Great Heart | HT-7026SSRIB | STX,B | AC,P5V | 110 | | | | | |
| Great Heart | HT-7244VT2PRIB | VT2P,B | AC,P5V | 112 | | | | | |
| LG Seeds | LG5590VT2RIB | VT2P,B | AC,P5V | 110 | | | | | |
| LG Seeds | LG5606STXRIB | STX,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG59C66VT2PRO | VT2P | AC,P5V | 109 | | | | | |
| LG Seeds | LG62C02VT2PRO | VT2P | AC,P5V | 112 | | | | | |
| NK Brand | NK0962-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| NK Brand | NK1066-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| NK Brand | NK1284-3220-EZR | 3220,B | AVC,C5,Vi | 112 | | | | | |
| NuTech | 5NN-8812 | 3000GT | CM,C2,R,Lu,I | 112 | | | | | |
| NuTech/G2 Gen | 5F-710 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FB-1010 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FN-3310 | OI | MQ,P5V,R | 110 | | | | | |
| Partners Brand | PB 8230DVT2P | VT2P,DG | AL2500 | 112 | | | | | |
| Pioneer | P0825AM CK | AM,B | MQ,C5,R,Lu | 108 | | | | | |
| Pioneer | P1197AM GC | AM,B | MQ,C2,R,Lu | 111 | | | | | |
| Purple Ribbon | 18A10VT2PRIB | VT2P,B | AC,P2 | 110 | | | | | |
| Purple Ribbon | 18A12VT2PRIB | VT2P,B | AC,P2 | 112 | | | | | |
| Purple Ribbon | 19R09VT2P | VT2P | AC,P5V | 109 | | | | | |
| Rupp | xrD10-16 | VT2P,B | AC,P2 | 110 | | | | | |
| Rupp | xrD11-57 | VT2P,B | AC,P2 | 111 | | | | | |
| Rupp | xrD12-49 | VT2P,B | AC,P2 | 112 | | | | | |
| Seed Consultants | SCS 1098YHR | OI | MQ,P1V,R | 109 | | | | | |
| Seed Consultants | SCS 1125YHR | OI | MQ,P1V | 112 | | | | | |
| Specialty | 40D148 | VT2P,B | AC,P2 | 110 | | | | | |
| Specialty | 41A117 | STX,B | AC,P5V | 111 | | | | | |
| Wyckoff | 2665DGVT2PRIB | VT2P,B | AC,P5V | 112 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.